

- Coccocarpia erythroxylī* (Spreng.) Swinscow & Krog [as 'erythroxili'],  
Norw. Jl Bot. 23(4): 254 (1976)
- = *Circinaria erythroxylī* (Spreng.) Fée, Essai Crypt. Exot. (Paris): xcv, 128  
(1825) [1824]
- = *Coccocarpia aurantiaca* (Hook. f. & Taylor) Mont. & Bosch, Pl.  
Jungh. 4: 465 (1856)
- = *Coccocarpia ciliolata* Mont., Annls Sci. Nat., Bot., sér. 3 10: 129 (1848)
- = *Coccocarpia cronia* var. *aurantiaca* (Hook. f. & Taylor) Vain., Ann.  
Acad. Sci. fenn., Ser. A 15(no. 6): 24 (1921)
- = *Coccocarpia leucorrhiza* Hampe, Linnaea 28: 217 (1856)
- = *Coccocarpia molybdaea* var. *aurantiaca* (Hook. f. & Taylor) Nyl.,  
Mém. Soc. Imp. Sci. Nat. Cherbourg 5: 109 (1858)
- = *Coccocarpia parmeloides* (Hook.) Trevis., Geol. Nat. Hist. Surv. N.  
Carol. 3: 80 (1867)
- = *Coccocarpia pellita* var. *mesomorpha* Müll. Arg., Bull. Herb. Boissier  
4: 92 (1896)
- = *Coccocarpia pellita* var. *parmeloides* (Hook.) Müll. Arg., Revue  
mycol., Toulouse 9(no. 35): 139 (1887)
- = *Coccocarpia pellita* var. *semiincisa* Müll. Arg., Flora, Regensburg 65:  
321 (1882)
- = *Lecidea erythroxylī* Spreng., K. svenska Vetensk-Akad. Handl., ser. 3 41:  
47 (1820)
- = *Lecidea parmeloides* Hook., in Kunth, Syn. pl. (Paris) 1: 15 (1822)
- = *Pannaria aurantiaca* (Hook. f. & Taylor) Schwend., in Naegeli, Beitr.  
wiss. Botan. 3: 194 (1863)
- = *Pannaria ciliolata* (Mont.) Hue, Annls Sci. Nat., Bot., sér. 9 10: 129 (1902)  
[1901]
- = *Pannaria parmeloides* (Hook.) Colmeiro, Revista Progr. Ci. Fis. Nat.  
16-17: 111 (1867)
- = *Solorina aurantiaca* Hook. f. & Taylor, London J. Bot. 3: 635 (1844)

[ABL50263], Brazil, Sena Madureira, Reserva extratevista Cazumbá-Iracema, Núcleo Cazumbá, on tree bark in disturbed tropical rain forest. 09°07' S, 68°57' W, 150 m. Leg. A. Aptroot (no 50263), M. Cáceres & J. Cavalcante, 10.04.2019. Det. A. Aptroot. 2019.



*Coccocarpia erythroxyli*



*Coccocarpia erythroxyli*



*Coccocarpia erythroxyli*